

HAYTER®

CRAFTED IN
HERTFORDSHIRE
SINCE 1946

SEASON '22



MAKE MOWING A

Pleasure



CONTENTS

HAYTER: A HISTORY OF ENGINEERING EXCELLENCE

Learn more about Hayter's manufacturing story from our Hertfordshire factory on [page 4](#). Celebrating 75 years of British heritage.

CHOOSING THE RIGHT LAWNMOWER FOR YOUR GARDEN

Not sure which lawnmower is best for your garden? Discover on [page 8](#) using our helpful guide.

IT'S ALL ABOUT THE HAYTER STRIPE

Learn how to achieve the perfect striped lawn with our step-by-step guide on [page 10](#) and check out our Hayter enthusiasts who have already mastered the "Hayter Stripe".

60V RANGE

Page 12 Cordless 60V Overview

Page 14 60V MAX Batteries & Chargers

STRIPES ■■■

Page 16 Hawk 36 & 43 60V **NEW**

Page 18 Harrier 41 60V

Page 20 Harrier 48 60V

Page 24 Toro's Flex-Force Power System™ 60V Power Tools

NO STRIPES ■■■

Page 22 Osprey 46 60V

PETROL RANGE

STRIPES ■■■

Page 28 Harrier 41

Page 30 Harrier 48

Page 32 Harrier 56

NO STRIPES ■■■

Page 34 Osprey 46

Page 36 Osprey 53

PROFESSIONAL RANGE

Page 38 Mow like a Pro - Professional Lawnmower Overview

STRIPES ■■■

Page 40 Harrier PRO Range

Page 42 Toro ProStripe 560

NO STRIPES ■■■

See Toro for professional contractor lawnmowers, ride-ons and turf maintenance equipment to compliment the Harrier Pro range.

HAYTER CLOTHING AND MERCHANDISE

Browse our range of exceptional clothing and merchandise on [page 44](#) and wear a name worthy of its Royal Warrant.

UNDERSTANDING YOUR LAWNMOWER AND ENGINE

Avoid any confusion with our jargon buster on [page 46](#) of the most popular terms for lawnmower and engine technical phrases.

FIRST CLASS DEALER NETWORK, SERVICE AND AFTERCARE

Discover on [page 48](#) our vast network of UK Dealers and read on [page 50](#) how they can help look after your lawnmower for years to come.

TECHNICAL SPECIFICATION

All of the technical specifications of our Hayter lawnmowers. All in one handy table, starting on [page 52](#).

A HISTORY OF ENGINEERING EXCELLENCE

The story of Hayter, an icon of British gardening, all began in a small Hertfordshire village with the vision of our founder Doug Hayter. Creating his first mower in the 1940's, Doug's legacy remains today with the factory on the same site in Spellbrook, Hertfordshire. What started as a small cottage industry has grown to become the UK's largest manufacturer of rear-roller mowers.

The DNA of Hayter, one of Britain's last remaining mower manufacturers, has remained unchanged for more than 75 years: a tireless focus on quality and innovation, coupled with craftsmanship and engineering, keep Hayter at the pinnacle of lawnmower manufacturing. Over its history, Hayter have continued to invest in its people and facilities, maintaining the high quality of British craftsmanship, design and engineering, which is renowned around the globe.

Everything that Hayter does revolves around the customer's experiences and needs, driving the design team to create and innovate and the manufacturing team to focus on the highest standards and finishes to ensure that Hayter can live up to its mission statement to be the

MAKERS OF THE Finest mowers



— 1938 —

Our founder Douglas Hayter was born in 1914 in Bishop's Stortford. Following the completion of a building apprenticeship he built his own home and in 1938 started his own business in Spellbrook, where our head office remains today.



— 1950s —

The 1950s saw the expansion of Hayter's commercial products with the introduction of the orchard mower and the first tractor mower. The end of the decade saw the introduction of the Hayterette - the first machine for the domestic market.



— 1970s —

The 1970s saw the introduction of numerous models - the Osprey, the Condor and the first ride on model, the Bank Rider. Most notably the Harrier was introduced, an ever popular model that is still going strong today.



— 1990s —

The culmination of 50 years of innovation and engineering excellence was celebrated in the 1990's with the Jubilee range starting production to mark the Golden Jubilee. It also saw another milestone with the one millionth Hayter produced with a Briggs & Stratton® engine.



— 2010s —

This decade saw a complete ground up redesign of the popular Harrier range and the launch of new PRO models. Further cementing Hayter's commitment to be at the forefront of rear-roller technology and design.



— 1940s —

The arrival of World War 2 meant that Douglas' focus changed to repairing farm tractors and machinery - essential for the war effort. After the War when expanding Spellbrook, Douglas' frustration on clearing land led to him developing the first Hayter mower the '24" Motor Scythe'.

Hayter Limited was founded in December 1946.



— 1960s —

The award of the Royal Warrant for the supply of machinery to the Sandringham Estate started the decade in style. It also saw the introduction of the 21" self propelled mower and the first Ambassador cylinder mower.



— 1980s —

Always at the forefront of innovation, the 1980s saw the first electric mower, the 16" Hayter Hobby. These innovations saw Hayter go from strength to strength, resulting in Hayter being listed on the London Stock Exchange.



— 2000s —

The turn of the millennium saw Hayter being acquired by The Toro Company to join it's family of global brands. With this saw significant investment in the Spellbrook facility, focusing on manufacturing and new product development.



— 2020 & BEYOND —

At Hayter we are proud of our heritage and this inspires us to keep innovating. Continuing into the 21st century we look to adapt and embrace new technology with our ever expanding 60V Cordless range.



View our cordless range ▶

Hayter

mowers for gardens and estates...

THE CUTTING EDGE OF DESIGN AND TECHNOLOGY

Since 1947 the quest for innovative design and technology has been in our DNA. Since the first Motor Scythe we have strived to give Hayter owners the best mowing experience, as well as the ability to maintain a beautiful lawn easier than ever. We're proud to be British and proud to be able to say that our mowers are designed and engineered in Britain too. Here are a few of our innovations over the years.



DESIGNED & ENGINEERED
In Britain



The Harrier - 50 years of innovation

Initially launched in 1970 the Harrier has remained the flagship of the Hayter range for over 50 years. With the Harrier we developed our Crank-Safe technology to help protect the engine and create a machine that will last a lifetime.



The cutting edge for 50 years!



Precision engineering with a human touch

Working together

Working in conjunction with our sister brand Toro®, our range of 60V cordless lawnmowers utilises the same 60V Battery Technology as Toro's Flex-Force Power System™ range of garden tools.



Outstanding results, minimum effort

The Blade Brake Clutch (BBC) introduced in 2003 was the first of our machines to allow users to stop the cutting blade while keeping the engine running - making grass bag emptying and moving between different grassed areas easier than ever.

The patented Crank-Safe BBC system gives the operator the ease of use that comes with a BBC system, as well as reassurance of a lifetime warranty against the engine crankshaft bending**.



The introduction of 'Hayter stripes'

The 26" self-propelled mower was Hayter's first machine with a split rear-roller, the start of a love affair between British striped lawns and Hayter mowers. Affectionately known as the iconic "Hayter stripe".



Striped to perfection!

Only the best materials

Our Harrier mowers are built with an aluminium deck that offers increased durability, rigidity and corrosion resistance - this is then powder-coated in the classic Hayter green. The deck also comes with a lifetime warranty*.



Built to last!



The all new Hawk

A new dawn for Hayter mowers

The all new Hawk - a mower for our customers changing needs. Light, compact and cordless but still the quality you would expect from Hayter as well as the perfect machine to achieve a beautiful lawn.

Edging ahead of the competition

The 12" Hawk introduced the inclusion of a side inlet and a small nylon chisel-shaped vertical deflector to scoop and draw grass from the side of stonework/raised border on to the cutter blades. The inspiration for 'trim side' that is featured on many mowers today!



Ground breaking design and innovation is behind every Harrier mower, but it doesn't end there. To make sure that quality finds it's way into our customers hands, we also assemble all our Harrier mowers in Great Britain.

"By assembling locally, we ensure the quality of the finished product. We weld locally, paint locally, assemble locally. Our experienced and knowledgeable team ensure the quality of every Harrier product."

*Annual service required.

**Only available on the Harrier® models with BBC. Applies to original purchaser. Refer to owners handbook for full Terms and Conditions.


CHOOSING THE RIGHT Hayter Mower

We're proud of the choice available within our range of mowers, but we realise it may be hard to find the one that is right for you. We've highlighted some of the key features in our range of models to help you decide - remember to consult the size guide on each product page to find the machine to match your garden once you've decided.

Visit our website at hayter.co.uk to buy online or to find your local dealer.

CHOOSE BY FEATURE

Easy to carry



Carry Handle

The carry handle featured on our Hawk model is especially designed to make the mower portable and easy to use.

Benefits: The carry handle allows easy transportation from storage to lawn, as well as when moving between different lawned areas.

Featured on:
Hawk range (see page 16)

Easy to tackle multiple lawns




BBC (Blade Brake Clutch)

The BBC system stops the cutting blade when not cutting grass, but keeps the engine running.

Benefits: Avoid needing to restart the engine when emptying the grass bag or when moving the mower from one lawned area to another.

Featured on:
Harrier 48, 56 (see page 30 and 32)
& Harrier Pro® range (see page 38)

Easy to understand



Battery or Petrol power

Hayter mowers are easy-to-use, whether you choose battery or petrol power.

Benefits: Both power choices, either the plug-and-go battery or our effortless petrol engines, offer cordless freedom and the power to get the job done.

Featured on:
Multiple models, see our full product range (from page 17)

Easy to start



Electric Start

Some petrol and battery models include 'Electric Start' which means power at the push of a button.

Benefits: Less effort than with a recoil start, one of the Hayter features that makes mowing easier than ever.

Featured on:
Hawk 36 & 43 (see page 16)
& Harrier 41, 48 & 56 (from page 28)

Easy to follow at your pace




Variable speed

Take the effort out of mowing - our variable speed system does the hard work for you.

Benefits: Variable speed allows the machine to adapt, adjusting to suit the operating conditions and the operator's walking speed.

Featured on:
Hawk 36 & 43 (see page 16)

Easy to turn



Ribbed roller


The Hayter rear-roller is the key to creating beautiful stripes.

Benefits: Not only designed to create beautiful stripes, the split ribbed roller on the Harrier gives excellent manoeuvrability and better traction uphill.

Featured on:
Hawk 36 & 43 (see page 16)
& Harrier 41, 48 & 56 (from page 28)


CHOOSE BY TYPE OF GARDEN

Compact Urban Garden




Choose a mower from our **Hawk Range** which are compact and agile.

Garden with Multiple Obstacles




Choose a mower with **variable speed** to make manoeuvring around obstacles easy.

Multiple Garden Areas




Choose a **mower with BBC** allowing you to turn the blade on and off when moving between lawns.

Flat Formal Lawn




Choose any of our **Harrier models** to achieve the classic British stripe.

Informal Grass Areas & Orchard



Choose a **4-wheeled mower** to tackle more challenging, informal areas.

Large Grass Areas & Paddocks





When tackling bigger jobs, our sister company Toro has a wide range of options available including mowers and ride-ons.

IT'S ALL ABOUT THE *Hayter Stripe*

Lawn stripes first become popular in England at the start of the 19th century. It was deemed very fashionable to have a garden that was uniform with clean lines achieved by planting symmetrical flowerbeds and introducing paths that were cut neatly into the landscape. Gardeners would also flatten the lawn to eradicate any bumps or unsightly tufts. By doing this lawn stripes were born and were an instant hit with estate owners.

A classic English striped lawn is still popular today and with one of our rear-roller lawnmowers it's easily achievable. Here is our step-by-step guide on how to easily achieve lawn stripes.

STEP-BY-STEP GUIDE



1. Work across from the right side of your garden and begin by mowing the first stripe parallel to the edge of your lawn.
2. When you complete a stripe, turn the lawnmower 180° by lifting the front wheels and rotate.
3. To ensure an even cut, you'll want to slightly overlap the previous stripe each time you start a new run.
4. Once your stripes are cut, you'll need to mow around the headland, which is the edge of your lawn.

When it comes to maintaining the health of your grass, we recommend frequently alternating the direction of the stripes.


By mowing in a different direction each time, you'll help your grass to grow more upright and avoid developing ruts in your soil.

View our range of rear-roller lawnmowers:
Hawk 36 & 43 (see page 16)
& Harrier 41, 48 & 56 (from page 28)



Carl Chandler | Spirit 41

Share your
#HayterStripes
Tag and follow
Haytermowers today




Zen Gardens | Harrier 41 PRO
@zengardens




Ross | Harrier 48 PRO
@ross.a.cooper1



Jack | Harrier 41
@jackschofield07



Mark | Harrier 56 PRO
@



One Battery

ANY APPLICATION...

This 60V MAX⁺ system, which is simple to operate with plug and play technology, is also comfortable and easy to use. Using the latest Lithium-ion technology with no self-discharge and no memory effect, you will have power at your fingertips when you need it.

Finished mowing the lawn? Just remove the battery from your Hayter mower and put it in your Toro Strimmer to neaten those edges!



Enjoy gardening with **Zero engine exhaust emissions.**



Power Boost
Technology auto-adjusts the power to suit the grass and cutting conditions.



Manually set to **Boost-Max Power Setting** for even tougher conditions



Easy to read **4 LED power meter.**



Powered by the same **Interchangeable 60V⁺ Battery**

— HOW LONG WILL THE BATTERY LAST —

The first question people ask when considering a battery mower is "How long will the battery last?". A common misconception is that the higher the amperage, the longer the battery will last, resulting in a longer run-time. But there are many things to consider when choosing a battery mower.

Here's our guide to choosing the right battery for your needs.

Voltage¹ (V) x Amperage (Amp)

1. Typical Usage

= Watt Hours (Wh)



It's all about Watt Hours
This shows how much power is stored in a battery, a bit like knowing "How much fuel is in the tank?"

The higher the Watt Hours the more power stored.

Consider the area of cut
Follow our recommended garden size for each mower, however the cutting conditions will have a big affect on how much you can cut.

The more inclines/thicker grass your garden has the more power consumed, so consider going for a bigger battery.

Know your trigger time
We recommend an area to cut rather than how long the battery lasts. The important consideration is "Trigger Time", the amount of time the mower is in use.

Stopping to empty the grass bag or move obstacles will affect the time it takes to mow the lawn but will have no affect on the trigger time.



CORDLESS 60V



60V MAX+ BATTERIES & CHARGERS

INTRODUCTION

Interchangeable across the entire Hayter 60V cordless range and Toro's Flex-Force Power System, so as mowers and tools become bigger and better, you already have the best battery to power them. The battery's performance is optimised for each product/application, so you'll always get the most out of your experience.



FEATURES



LED ON-BOARD POWER METER
LED indicator light shows the battery's charge level in increments of 25%. Easily check by pressing the blue battery button after each activity.



SAFE CHARGING
The battery will only charge when it's at the right temperature. The easy to read on-board LED indicator shows when it's fully charged.



SMART POWER
Onboard Power Boost Technology intel optimises power output and overload protection in real time - maximising battery and tool performance, runtime and lifespan.



- ✓ **CLASS-LEADING POWER OUTPUT+**
Ultimate innovation with our 3P design for 3 times the power, higher maximum performance, and the ability to push your tools harder, for longer.
- ✓ **TEMPERATURE RESISTANT CASING**
Plastic components made from a unique thermoplastic material that provides superior resistance against extreme temperature ranges.
- ✓ **BUILT-IN CARRYING HANDLE**
Gives you a handle where others don't. Easily switch from tool to tool and task to task.

BATTERY SPECIFICATION

	L135 BATTERY CODE102A	L216 BATTERY CODE104A	L324 BATTERY CODE106A	L405 BATTERY CODE107A
KEY FEATURES	LED on-board power meter, fits all 60V products across Hayter and Toro			
BATTERY POWER	60 Volts MAX+			
AMP-HOUR	2.5 Ah	4.0 Ah	6.0 Ah	7.5 Ah
WATT-HOUR	135 Wh	216 Wh	324 Wh	405 Wh
WARRANTY*	3-Year Full Coverage			

CHARGER SPECIFICATION

	Standard 2.0 Amp 60V CODE120A	Quick 5.5 Amp 60V CODE121A
BATTERY CHARGE TIMES		
L135 BATTERY	60 Minutes	22 Minutes
L216 BATTERY	100 Minutes	37 Minutes
L324 BATTERY	150 Minutes	55 Minutes
L405 BATTERY	180 Minutes	66 Minutes

*Residential use only, annual service required. View full T&Cs at Hayter.co.uk †Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.



HAWK
 36
 &
 43

HAWK 36 & 43

60V CORDLESS



Now even the smallest of gardens can get the "Hayter Stripe" treatment thanks to our **lightweight and high performing**, Hawk 36 60V cordless lawnmower. For those who have a slightly larger garden, you can still experience **lightweight, effortless mowing** with the Hawk 43 60V cordless lawnmower.

Designed to be **maneuvrable** and easy to use, the Hawk 60V is packed with an array of **clever design features** such as Power Boost technology that **maximises run-time** by only providing more power when needed, and when you're finished, simply remove the grassbox and **store upright**, saving up to **70%** of valuable floorspace**. The integrated ribbed rear-roller provides superior traction and leaves a **beautifully striped lawn finish**, time after time.

FEATURES

36 or 43cm Cutting Width	Vertical Stow	Striped Finish	ABS Lightweight ABS Polymer Deck	Integrated Rear-roller	19 - 70mm (6) Height of Cut	Easy to Empty Grass Box
60V MAX+ Battery Power	Power Boost Technology	Boost-Max Power Setting	Electric Start	Zero engine exhaust emissions	TORO FLEX FORCE POWER SYSTEM™ Uses The Same Interchangeable 60V Battery	3 YEARS COMPLETE WARRANTY*


TECHNICAL

	Hawk 36 CODE553A	Hawk 43 CODE554A	Hawk 43 SP CODE555A
Width of Cut	36 cm	43 cm	
Motor	Hayter 0.6 kW Brushless 60V		Hayter 0.85 kW Brushless 60V
60V MAX+ Battery and Charger - Both Sold Separately	L135 Battery (60V, 2.5 Ah, 135 Wh) Standard Charger (2.0Ah)		L216 Battery (60V, 4.0 Ah, 216 Wh) Standard Charger (2.0Ah)
Recommended Lawn Size [^]	Up to 250 m ²		Up to 300 m ²
Drive System	Push	Push	Self-Propelled Auto-Drive
Drive Speed	-	-	1.8 - 2.5 mph
Deck Type	ABS Polymer		
Cutting Height Range / Positions / Type	19 - 70 mm. 6 positions. One-point button adjustment		
Grassbag Capacity	40 Litre	50 Litre	
Warranty*	3-Years Complete Lawnmower & Battery Warranty*		

IDEAL LAWN SIZE

Compact

- Recommended up to 250m² (Hawk 36) and 300m²[^] (Hawk 43)
- Approximately one tennis court.



UPGRADE YOUR MOWER

- L216 Battery**
60V, 4.0 Ah, 216 Wh
CODE104A
- L324 Battery**
60V, 6.0 Ah, 324 Wh
CODE106A
- Quick Charger**
60V, 5.5 Amp
CODE121A



†Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. *Residential use only, annual service required. View full T&Cs at Hayter.co.uk hayter.co.uk
 **Space savings are in relation to the space consumed by a Hawk 36cm walk behind lawn mower that is stored with the handle in the standard operating position.
 ^Based on using recommended battery and width of cutter deck.

HARRIER 41



HARRIER® 41

60V CORDLESS



Thanks to our high performing, low maintenance 60V* battery-powered DC brushless motor, you can experience a mower that starts first time, every time with **no compromise on power**.

Designed to make mowing a pleasure, the **Harrier 41 60V** is **built to last**, demonstrated by the **lifetime warranty** on the cast aluminium deck. Packed with an array of **clever design features** such as Trim Side deck design so that you can cut right to the lawn border, an easy-wash hose connector to keep your mower nice and clean without getting your hands dirty and finally a two piece, ribbed rear-roller that provides superior traction, manoeuvrability and leaves a beautifully striped lawn finish, time after time.

FEATURES

 41cm Cutting Width	 Two-Piece Rear-Roller	 Striped Finish	 Easy Wash Hose Connector	 Trim Side Deck Design	 Vari-Pitch™ Cutting Technology ¹	 Aluminium Cutting Deck	 60V MAX+ Battery Power	
 Power Boost Technology	 Boost-Max Power Setting	 Electric Start	 Zero engine exhaust emissions	 Compatible with TORO FLEX-FORCE POWER SYSTEM™ Uses The Same Interchangeable 60V Battery		 5 YEARS LAWNMOWER WARRANTY*	 3 YEARS BATTERY WARRANTY*	 AI ALUMINIUM LIFETIME DECK WARRANTY*


TECHNICAL

	Harrier 41 60V Push - CODE373A	Harrier 41 60V Variable Speed - CODE377A
Width of Cut	41 cm	
Motor	Hayter 1.5 kW Brushless 60V	
60V MAX+ Battery and Charger - Both Sold Separately	L216 Battery (60V, 4.0 Ah, 216 Wh) Standard Charger (2.0Ah)	L324 Battery (60V, 6.0 Ah, 324 Wh) Standard Charger (2.0Ah)
Recommended Lawn Size [^]	Up to 300 m ²	
Drive System	Push	Variable Speed
Drive Speed	-	1.8 - 3.0mph (Standard) or 2.1 - 3.3mph (Boost Max mode)
Deck Type	Cast Aluminium	
Cutting Height Range / Positions / Type	13 - 60 mm. 7 positions. One-point lever adjustment	
Grassbag Capacity	60 Litre	
Warranty*	5-Years Lawnmower / 3-Years Battery / Lifetime Deck Warranty	

IDEAL LAWN SIZE

Compact

- Recommended up to 300m²[^]
- Approximately one tennis court.



UPGRADE YOUR MOWER

L405 Battery
60V, 7.5 Ah, 405 Wh
CODE107A

Quick Charger
60V, 5.5 Amp
CODE121A

Mower Cover
137-8211



[†]Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. ^{*}Residential use only, annual service required. View full T&Cs at Hayter.co.uk [^]Based on using recommended battery and width of cutter deck. ¹ Patent pending.

HARRIER 48



HARRIER® 48

60V CORDLESS



Say hello to a battery-powered mowing experience. The high-performing 60V Max* battery-powered DC brushless motor, starts first time, every time with **no compromise on power**.

Built to last a lifetime, Harrier 48 60V is made of durable cast aluminium that is backed by our lifetime deck warranty and is **expertly engineered** to ensure the best cut by using Vari-Pitch™ cutting technology, combined with an **aerodynamic designed cutter deck and blade** for the cleanest cut and maximum grass collection. The two piece, ribbed rear-roller provides superior traction, manoeuvrability and leaves a beautifully striped lawn finish, time after time.

FEATURES

- 
48cm Cutting Width
- 
Two-Piece Rear-roller
- 
Striped Finish
- 
Easy Wash Hose Connector
- 
Trim Side Deck Design
- 
Vari-Pitch™ Cutting Technology¹
- 
Aluminium Cutting Deck
- 
60V MAX+ Battery Power
- 
Power Boost Technology
- 
Boost-Max Power Setting
- 
Electric Start
- 
Zero engine exhaust emissions
- 
Compatible with TORO FLEX FORCE POWER SYSTEM™
Uses The Same Interchangeable 60V Battery
- 
5 YEARS LAWNMOWER WARRANTY*
- 
3 YEARS BATTERY WARRANTY*
- 
AI ALUMINIUM LIFETIME DECK WARRANTY*

TECHNICAL

Harrier 48 60V Variable Speed - CODE477A	
Width of Cut	48 cm
Motor	Hayter 2.0 kW Brushless 60V
60V MAX+ Battery and Charger	L405 Battery (60V, 7.5 Ah, 405 Wh) - Sold Separately Standard Charger (2.0Ah) - Sold Separately
Recommended Lawn Size [^]	Up to 500 m ²
Drive System	Variable Speed
Drive Speed	1.7 - 2.9mph (Standard) or 2.0 - 3.2mph (Boost Max mode)
Deck Type	Cast Aluminium
Cutting Height Range / Positions / Type	13 - 60 mm. 7 positions. One-point lever adjustment
Grassbag Capacity	70 Litre
Warranty*	5-Years Lawnmower / 3-Years Battery / Lifetime Deck Warranty

IDEAL LAWN SIZE

Medium

- Recommended up to 500m²[^]
- Approximately two tennis courts.



UPGRADE YOUR MOWER

Quick Charger
60V, 5.5 Amp
CODE121A

Mower Cover
137-8211



[†]Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. ^{*}Residential use only, annual service required. View full T&Cs at Hayter.co.uk [^]Based on using recommended battery and width of cutter deck. ¹ Patent pending.

OSPREY 46

OSPREY 46














60V CORDLESS



Offering the same power as a petrol mower but with a 60V Max* battery-powered DC brushless motor, you can experience a mower which has **no compromise on power** and **emits no engine exhaust fumes** making mowing a pleasure to do.

The **Osprey 46 60V** gives you the choice to **cut and collect** or **rear discharge** your clippings. So instead of collecting your grass clippings they are automatically discharged out of the back of the lawnmower onto the lawn. This is ideal when cutting very long grass as you're not filling up the grass bag too quickly or putting too much strain on the machine while mowing.

FEATURES

- 
46cm
Cutting Width
- 
2-in1
Cut & Collect or Rear Discharge
- 
Easy Wash
Hose Connector
- 
25 -70mm
Height of Cut
- 
Steel
Cutting Deck
- 
60V MAX+
Battery Powered
- 
Power Boost
Technology
- 
Boost-Max
Power Setting
- 
Electric
Start
- 
Zero engine
exhaust emissions
- 
Compatible with TORO FLEX FORCE POWER SYSTEM™
Uses The Same Interchangeable 60V Battery
- 
2 YEARS
LAWNMOWER WARRANTY*
- 
3 YEARS
BATTERY WARRANTY*

TECHNICAL

	Osprey 46 60V Self Propelled - CODE613A
Width of Cut	46 cm
Motor	Hayter 2.0 kW Brushless 60V
60V MAX+ Battery and Charger	L324 Battery (60V, 6.0 Ah, 324 Wh) - Sold Separately Standard Charger (2.0Ah) - Sold Separately
Recommended Lawn Size [^]	Up to 500 m ²
Drive System	Variable Speed
Drive Speed	1.9 mph or 2.2 mph
Deck Type	Steel
Cutting Height Range / Positions / Type	25 - 70 mm. 7 positions. One-point lever adjustment
Grassbag Capacity	55 Litre
Warranty*	2-Years Lawnmower / 3-Years Battery

IDEAL LAWN SIZE

Medium

- Recommended up to 500m²[^]
- Approximately two tennis courts.



UPGRADE YOUR MOWER

L405 Battery
60V, 7.5 Ah, 405 Wh
CODE107A

Quick Charger
60V, 5.5 Amp
CODE121A

Mower Cover
137-8211



[†]Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. ^{*}Residential use only, annual service required. View full T&Cs at Hayter.co.uk [^]Based on using recommended battery and width of cutter deck.



FLEX-FORCE POWER SYSTEM

Interchangeable across the entire Hayter 60V cordless range and Toro's Flex-Force Power System so as mowers and tools become bigger and better, you already have the best battery to power them. The battery's **performance is optimised for each product/application**, so you'll always get the most out of your experience.



60V POLE SAW

60V HEDGE TRIMMER

FEATURES



ULTIMATE EASE-OF-USE, ULTIMATE CONTROL

Comfort grip handle makes handling and manoeuvring easy and also reduces vibration too.



2.43M REACH

Get up there and get at it with a reach long enough for whatever you need to cut



24.5CM CUTTING BAR AND CHAIN.

All you need to get the job done, including up to 80 cuts of 10cm x 10cm branches on a single charge.

TECHNICAL

	Toro 60V Pole Saw 51847T
Bar Length	24.5cm (10")
Cut Capacity	10 x 10cm (4" x 4")
Chain Pitch/Gauge	Pitch 9.5mm (0.375") Gauge 1.1mm (0.043")
Chain Tensioning	Tooled
60V Battery and Charger	L135 Battery (60V, 2.5 Ah, 135 Wh) - Sold Separately Standard Charger (2.0Ah) - Sold Separately
Run Time with L135 Battery	Up to 80 cut [^] through 10 x 10cm (4" x 4") timber
Warranty*	3-Years Full Warranty

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com
+ Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.
[^]Based on controlled laboratory testing of product. Run-time varies with load.

FEATURES



HANDY HANDLE

Push a button to make vertical trimming quick, easy, and comfortable with the 90° rotating handle.



CLEANER CUT

The exclusive blade design provides a cleaner, more efficient cut.



TIME SAVER

A 61 cm bar and 1.9 cm cut capacity make this trimmer sturdy, thick and robust to tackle big jobs in less time.

TECHNICAL

	Toro 60V Hedge Cutter 51855T
Bar Length	61cm
Cut Capacity	1.9cm
Blade Material	Hardened Steel
Strokes/Minute	3,200
Speed Control	Variable Trigger
60V Battery and Charger	L135 Battery (60V, 2.5 Ah, 135 Wh) - Sold Separately Standard Charger (2.0Ah) - Sold Separately
Run Time with L135 Battery	Up to 75 min
Warranty*	3-Years Full Warranty

[^]Based on controlled laboratory testing of product
* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com



FLEX-FORCE POWER SYSTEM



FEATURES



ULTIMATE EASE-OF-USE, ULTIMATE CONTROL

Instant power at your fingertips with the variable speed trigger with two speed ranges.



MATCH POWER TO YOUR CONDITIONS

Easily adapt performance to the job by choosing line size from 2.0-2.4mm and cutting width from 36-41cm.



TAP & GO

Adjust line length like a pro, without stopping. Just tap the head of the trimmer on the ground to advance the line.

TECHNICAL

Toro 60V String Trimmer 51835T	
Cutting Width	36 cm or 41 cm
Line Advancement	Tap and Go
Trimmer Line	2.4 mm line included. 2.0 mm line sold separately
60V Battery and Charger	L135 Battery (60V, 2.5 Ah, 135 Wh) - Sold Separately Standard Charger (2.0Ah) - Sold Separately
Run Time with L135 Battery	Up to 50 min (cut width: 36 cm and line diameter: 2.0 mm) Up to 45 min (cut width: 36 cm and line diameter: 2.4 mm) Up to 30 min (cut width: 41 cm and line diameter: 2.4 mm)
Warranty*	3-Years Full Warranty

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com
+ Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.

60V CHAINSAW

FEATURES



BUILT TO LAST

Get more power, more runtime, and longer life with the digitally controlled brushless DC motor that provides power when you need it.



PRO-STYLE CHAIN TENSIONING

Tensioning tool mounts onboard the chainsaw for quick and easy access.



GET MORE DONE

Cut through 15 cm x 15 cm timber up to 50 times on a single charge[^].

TECHNICAL

Toro 60V Chainsaw 51845T	
Bar Length	41 cm
Chain Pitch/Gauge	Pitch 95mm Gauge 1.1mm
Chain Oil Capacity	270ml
Chain Tensioning	Tooled
60V Battery and Charger	L135 Battery (60V, 2.5 Ah, 135 Wh) - Sold Separately Standard Charger (2.0Ah) - Sold Separately
Run Time with L135 Battery	Up to 50 cuts [^] of 15cm x 15cm
Warranty*	3-Years Full Warranty

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com
+ Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.
[^] Based on controlled laboratory testing of product

FEATURES



LONG-LASTING PERFORMANCE

Enjoy more power and longer life with a high-performance brushless DC motor.



FINISH FASTER

Move large piles of leaves faster with 17 m³/min of air volume and 185 Km/h air speed^{**}.



ULTIMATE CONTROL WITH ON DEMAND POWER

Variable speed trigger and turbo boost button delivers more power when you need it.

TECHNICAL

Toro 60V Blower 51825T	
Air Volume	Up to 17.3 m ³ /min.
Air Speed	Up to 185 km/h
60V Battery and Charger	L135 Battery (60V, 2.5 Ah, 135 Wh) - Sold Separately Standard Charger (2.0Ah) - Sold Separately
Run Time with L135 Battery	Up to 90 minutes at low speed Up to 25 minutes at high speed Up to 10 minutes with turbo boost
Warranty*	3-Years Full Warranty

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com
^{**}Based on battery at low speed in controlled laboratory testing of product
+ Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.

60V STRING TRIMMER

HARRIER 41

HARRIER® 41 PETROL



Our **high-quality, high-performing, Harrier® 41** is a petrol rear-roller that has been a staple in the Hayter line up for **over 50 years**.

This agile, yet durable lawnmower has a cast aluminium deck that is **built to last** and backed by both our **lifetime deck warranty** and **lifetime crank-shaft warranty** that protects your lawnmower's crank-shaft if you accidentally hit a solid object.

Recommended for a flat, modest-size garden, the 41cm wide deck and split rear-roller allows for each pass to be **perfectly striped** and **easier to turn**, avoiding any unsightly turn marks on the lawn.

FEATURES

 41cm Cutting Width	 Two-Piece Rear-roller	 Vari-Pitch™ Cutting Technology ¹	 Striped Finish	 Easy Wash Hose Connector	 Trim Side Deck Design	 13 - 60mm Height of Cut
 Aluminium Cutting Deck	 E10 Unleaded Fuel Compatible (87 Octane)	 Hassle-free Starting	 Electric start (only on CODE376B)	 5 YEARS LAWNMOWER WARRANTY*	 LIFETIME CRANK-SHAFT WARRANTY†	 LIFETIME ALUMINIUM DECK WARRANTY*


TECHNICAL

	Harrier 41 Push - CODE374A	Harrier 41 Variable Speed - CODE375A	Harrier 41 Electric Start - CODE376B
Width of Cut	41 cm		
Engine	Briggs & Stratton 575EX Series	Briggs & Stratton 625 EXi Series	Briggs & Stratton 575iS Series
Recommended Lawn Size [^]	Up to 300 m ²		
Drive System	Push	Variable Speed	
Drive Speed	-	2.1 - 3.3 mph	
Deck Type	Cast Aluminium		
Cutting Height Range / Positions / Type	13 - 60 mm. 7 positions. One-point lever adjustment		
Grassbag Capacity	60 Litre		
Warranty*	5-Years Lawnmower Warranty* / Lifetime Deck Warranty* / Lifetime Crankshaft Warranty†		

IDEAL LAWN SIZE

Compact

- Recommended up to 300m²[^]
- Approximately one tennis court.



UPGRADE YOUR MOWER

- Premium Fuel Treatment**
Use with E10 / E5 fuel
111-9366
- Lawnmower Oil**
111-9367
- Mower Cover**
137-8211



[^]Residential use only, annual service required. Residential use means use of the product on the same location as your home. Use at more than one location is considered commercial use and the commercial warranty would apply. †Applies to original purchaser. Refer to website for full T&Cs ¹ Patent pending.

HARRIER 48



HARRIER® 48

PETROL



Our **powerful, self-propelled Harrier® 48** is a petrol rear-roller that evolved over time to become one of our most successful rear-roller lawnmowers for **over 50 years**.

Built to last, the Harrier deck is made of cast aluminium that is backed by both our **lifetime deck warranty** and **lifetime crank-shaft warranty** that protects your lawnmower's crank-shaft if you accidentally hit a solid object.

Recommended for a flat, medium-sized garden, the 48cm wide deck and integrated split rear-roller allows for each pass to be **perfectly striped** and **easier to turn**, avoiding any unsightly turn marks on the lawn.

FEATURES

48cm Cutting Width	Two-Piece Rear-roller	Blade Brake Clutch system (BBC) <small>(only on CODE475A)</small>	Crank-Safe BBC System <small>(only on CODE475A)</small>	Vari-Pitch™ Cutting Technology ¹	Striped Finish	Easy Wash Hose Connector	Trim Side Deck Design
Aluminium Cutting Deck	13 - 60mm Height of Cut	E10 Unleaded Fuel Compatible <small>(87 Octane)</small>	Hassle-free Starting <small>(known as GTS on CODE574A)</small>	Electric start <small>(only on CODE476B)</small>	5 YEARS LAWNMOWER WARRANTY*	LIFETIME CRANK-SHAFT WARRANTY*	LIFETIME DECK WARRANTY*

TECHNICAL

	Harrier 48 Auto-Drive - CODE474A	Harrier 48 BBC - CODE475A	Harrier 48 Electric Start - CODE476B
Width of Cut	48 cm		
Engine	Hayter® 159cc OHV GTS	Briggs & Stratton® 650 EXi Series™ with ReadyStart®	Briggs & Stratton® 675iSeries™ with InStart®
Recommended Lawn Size [^]	Up to 500 m ²		
Drive System	Variable Speed		
Drive Speed	2.1 - 3.3 mph		
Deck Type	Cast Aluminium		
Cutting Height Range / Positions / Type	13 - 60 mm. 7 positions. One-point lever adjustment		
Grassbag Capacity	70 Litre		
Warranty*	5-Years Lawnmower Warranty* / Lifetime Deck Warranty* / Lifetime Crankshaft Warranty [†]		

IDEAL LAWN SIZE

Medium

- Recommended up to 500m²[^]
- Approximately two tennis courts.



UPGRADE YOUR MOWER

- Premium Fuel Treatment**
Use with E10 / E5 fuel
111-9366
- Lawnmower Oil**
111-9367
- Mower Cover**
137-8211



[^]Residential use only, annual service required. Residential use means use of the product on the same location as your home. Use at more than one location is considered commercial use and the commercial warranty would apply. [†]Applies to original purchaser. Refer to website for full T&Cs ¹Patent pending.

HARRIER 56



HARRIER® 56

PETROL



Our **largest, self-propelled** petrol lawnmower in our Hayter range, the **Harrier® 56** is a rear-roller that features an impressive split rear-roller that is 53cm wide, giving you a **stripe that is the widest in it's class**.

Mowing a flat, large-sized garden, will be a breeze with a 56cm cutting width combined with Sens-a-Speed™ drive system that automatically adapts to your preferred walking speed by pressing on the ergonomic bail arm. The integrated split rear-roller will leave your lawn **perfectly striped** and the mower **easier to turn**, avoiding any unsightly turn marks on the lawn. The cast aluminium deck is backed by both our **lifetime deck warranty** and **lifetime crankshaft warranty**, meaning it's **built to last**.

FEATURES

56cm Cutting Width	Two-Piece Rear-roller	Blade Brake Clutch system (BBC) <i>(only on CODE575A)</i>	Crank-Safe BBC System <i>(only on CODE575A)</i>	Vari-Pitch™ Cutting Technology ¹	Striped Finish	Easy Wash Hose Connector	Trim Side Deck Design
Aluminium Cutting Deck	13 - 60mm Height of Cut	E10 Unleaded Fuel Compatible <i>(87 Octane)</i>	Hassle-free Starting <i>(known as GTS on CODE574A)</i>	Electric start <i>(only on CODE576B)</i>	5 YEARS LAWNMOWER WARRANTY*	LIFETIME CRANK-SHAFT WARRANTY*	LIFETIME DECK WARRANTY*

TECHNICAL

	Harrier 56 Auto-Drive - CODE574A	Harrier 56 BBC - CODE575A	Harrier 56 Electric Start - CODE576B
Width of Cut	56 cm		
Engine	Hayter® 159cc OHV GTS	Briggs & Stratton® 850E Series™ I/C with ReadyStart®	Briggs & Stratton® 775iS Series™ with DOV® & InStart®
Recommended Lawn Size [^]	Up to 1,000 m ²		
Drive System	Variable Speed		
Drive Speed	1.0 - 2.9 mph		
Deck Type	Cast Aluminium		
Cutting Height Range / Positions / Type	13 - 60 mm. 7 positions. One-point lever adjustment		
Grassbag Capacity	70 Litre		
Warranty*	5-Years Lawnmower Warranty* / Lifetime Deck Warranty* / Lifetime Crankshaft Warranty†		

IDEAL LAWN SIZE

Large

- Recommended up to 1,000m²[^]
- Approximately one 5-a-side football pitch



UPGRADE YOUR MOWER

- Premium Fuel Treatment**
Use with E10 / E5 fuel
111-9366
- Lawnmower Oil**
111-9367
- Mower Cover**
137-8211



[^]Residential use only, annual service required. Residential use means use of the product on the same location as your home. Use at more than one location is considered commercial use and the commercial warranty would apply. †Applies to original purchaser. Refer to website for full T&Cs ¹Patent pending.

OSPREY 46



OSPREY 46

PETROL



With the **Osprey 46**, you can get the same Hayter **high-end quality** as our rear-roller mowers but with the added benefit of **extra stability and control** when mowing medium-sized lawns that are uneven or sloped, thanks to its four wheels.

This versatile 3-in-1 lawnmower gives you the choice of either **collecting, grass-cycling** or **rear discharging** your grass clippings depending on your lawn's needs. The mower comes with the mulch plug that's **easy to fit** so that you can start grass-cycling your clippings, making the **job quicker** as you're not having to empty a grass bag.

FEATURES

- 

46cm
Cutting Width
- 
 - Cut and Collect
 - Grass-cycling
 - Rear discharge
- 

Grass-cycling
function
(with mulch plug)
- 

Easy Wash
Hose Connector
- 

25 - 70mm
Height of Cut
- 

Steel
Cutting Deck
- 

E10 Unleaded Fuel
Compatible
(87 Octane)
- 

READYSTART
Hassle-free Starting
- 

2
YEARS
LAWNMOWER
WARRANTY*

TECHNICAL

	Osprey 46 Push - CODE610B	Osprey 46 Auto-Drive - CODE611B
Width of Cut	46 cm	
Engine	Briggs & Stratton® 450 E Series™ OHV	Briggs & Stratton® 500 E Series™ OHV
Recommended Lawn Size [^]	Up to 500 m ²	
Drive System	Push	Fixed Speed
Drive Speed	-	2.0 mph
Deck Type	Steel	
Cutting Height Range / Positions / Type	25 - 70mm. 7 positions. One-point lever adjustment	
Grassbag Capacity	55 Litre	
Warranty*	2-Years Lawnmower Warranty*	

IDEAL LAWN SIZE

Medium

- Recommended up to 500m²[^]
- Approximately two tennis courts.



UPGRADE YOUR MOWER

Premium Fuel Treatment
Use with E10 / E5 fuel

111-9366

Lawnmower Oil

111-9367

Mower Cover

137-8211



*Residential use only, annual service required. Residential use means use of the product on the same location as your home. Use at more than one location is considered commercial use and the commercial warranty would apply.

OSPREY 53

OSPREY 53

PETROL



Our **Osprey 53** will tackle your uneven garden with ease. The 53cm steel cutting deck is **durable** enough to handle rigorous and demanding lawns. Upgrading to the **all-wheel drive** model will give you the **extra stability and control** when mowing if additional traction and power is required.

This 2-in-1 lawnmower gives you the choice of either **collecting** or **grass-cycling** your grass clippings depending on your lawn's needs. The mower comes with the mulch plug that's **easy to fit** so that you can start grass-cycling your clippings, making the **job quicker** as you're not having to empty a grass bag.

FEATURES

- 53cm** Cutting Width
- **Cut and Collect**
• **Grass-cycling**
- Grass-cycling function**
(with integrated mulch plug)
- All-Wheel Drive**
(only on CODE346A)
- 25 - 70mm** Height of Cut
- Steel** Cutting Deck
- E10** Unleaded Fuel
Compatible (87 Octane)
- GTS**
GUARANTEED TO START
Hassle-free Starting
- 2** YEARS
LAWNMOWER WARRANTY*

TECHNICAL

	Osprey 53 Auto-Drive - CODE345A	Osprey 53 AWD Auto-Drive - CODE346A
Width of Cut	53 cm	
Engine	Hayter® 159cc OHV GTS	Hayter® 159cc OHV GTS
Recommended Lawn Size [^]	Up to 500 m ²	
Drive System	Fixed Speed	
Drive Speed	2.7 mph	3.0 mph
Deck Type	Steel	
Cutting Height Range / Positions / Type	25 - 89mm. 7 positions. Two-point lever adjustment	
Grassbag Capacity	70 Litre	
Warranty*	2-Years Lawnmower Warranty*	

IDEAL LAWN SIZE

Medium

- Recommended up to 500m²[^]
- Approximately two tennis courts.



UPGRADE YOUR MOWER


- Premium Fuel Treatment**
Use with E10 / E5 fuel
111-9366
- Lawnmower Oil**
111-9367
- Mower Cover**
137-8211



*Residential use only, annual service required. Residential use means use of the product on the same location as your home. Use at more than one location is considered commercial use and the commercial warranty would apply.

Mowing like a Pro

SINCE 1946



For the past 75 years, Hayter has been manufacturing lawnmowers, that are especially designed for professional gardeners and landscape contractors. Our founder, Douglas Hayter's first lawnmower that he built in his workshop at the same location where our factory is now was the 24" Motor Scythe. This paved the way for all our popular professional mowers through the decades.

Below are some of our iconic models that have led us to where we are today



Professional Hayterette



Condor Range



26" Motor Scythe

Today finds us with the Hayter Harrier PRO range, which have been designed for the rigours of daily use and to meet the exacting demands of the professional user.

Trusted by thousands of contractors and gardeners across the UK, the Hayter Harrier PRO range can be found producing the iconic Hayter stripe from domestic gardens to stately homes, day in day out!



HARRIER PRO

HARRIER[®] PRO

PETROL



Mow like a pro with our **Harrier[®] PRO** range of heavy-duty, rear-roller lawnmowers, especially **designed for landscape contractors**. Available in a variety of cutting widths, there's a **Harrier PRO** suitable for any size garden. From our nimble **Harrier 41 PRO** to our heavy-weight **Harrier 56 PRO** with **impressive 53cm rear-roller** - the widest in it's class!

Taking the residential Harrier to the next level, these **commercial-grade**, PRO machines have a fixed drive speed of 3.2mph, a **strong aluminium cutter deck** and **steel split rear-roller**, helping you get the job done faster giving a great "Hayter Stripe" finish to every lawn day-in day-out.

And with the **Harrier 48 PRO** and **Harrier 56 PRO** you get the added benefit of our **Crank-Safe BBC System** that allows for the blade to be stopped but keeps the engine running.

FEATURES

- 41, 48 or 56cm Cutting Width**
- Striped Finish**
- Two-Piece Steel Rear-roller**
- Blade Brake Clutch system (BBC)**
(excludes on CODE379B)
- Crank-Safe BBC System**
(excludes on CODE379B)
- Vari-Pitch™ Cutting Technology¹**
- Trim Side Deck Design**
- Easy Wash Hose Connector**
- Aluminium Cutting Deck**
- 13 - 60mm Height of Cut**
- E10 Unleaded Fuel Compatible**
(87 Octane)
- READYSTART Hassle-free Starting**
(only on CODE579A)
- 2 YEARS LAWMOWER WARRANTY***
- LIFETIME CRANK-SHAFT WARRANTY***


TECHNICAL

	Harrier 41 PRO CODE379B	Harrier 48 PRO CODE479B	Harrier 56 PRO CODE579A
Width of Cut	41 cm	48 cm	56 cm
Engine	Honda® GCVX145 OHC	Honda® GCVX170 OHC	Briggs & Stratton® 850E I/C Recoil
Hand / Arm Vibration (HAV)	3.6 m/s ²	3.5 m/s ²	3.6 m/s ²
Drive System	Fixed Speed		
Drive Speed	3.2 mph		3.3 mph
Deck Type	Cast Aluminium		
Cutting Height Range / Positions / Type	13 - 60 mm. 7 positions. One-point lever adjustment		
Grassbag Capacity	70 Litre		
Warranty*	2-Years Commercial Lawnmower Warranty* / Lifetime Crankshaft Warranty†		

IDEAL LAWN SIZE

Any

- Recommended up to 1,000m²[†]
- Approximately one 5-a-side football pitch



UPGRADE YOUR MOWER

- Premium Fuel Treatment**
Use with E10 / E5 fuel
111-9366
- Lawnmower Oil**
111-9367
- Mower Cover**
137-8211



*Commercial use only, annual service required. Residential use means use of the product on the same location as your home. Use at more than one location is considered commercial use and the commercial warranty would apply. †Patent pending. ‡Applies to original purchaser. Refer to website for full T&Cs.

560

PROSTRIFE










PROSTRIFE® 560 PETROL



Designed for sport pitches to provide a precise cut and clean striped finish, the **Toro ProStripe® 560** leaves your turf looking at its best. This **lightweight** and **manoeuvrable** mower features a two-piece ribbed roller design to leave a crisp stripe, and MatchCut™ technology enables **precision setting of the height of cut** to make post-game clean-up a breeze. Grass is lifted, cut, and cleanly collected as a result of improved airflow created by a unique blade, grass bag and deck design.

And the large, **80 litre high capacity grass bag** reduces downtime emptying the bag. Operator comfort and productivity come together with the ergonomic handlebar and **Blade Brake Clutch transmission system** that make the mower both **comfortable** and **easy to use**. Built for **tough commercial conditions**, the cast aluminium deck and Kawasaki engine provide peace of mind. Sports fields and fine turf applications – even residential gardens are no match for this high quality, versatile machine.

FEATURES



TECHNICAL

ProStripe 560 02657	
Width of Cut	56 cm
Engine	Kawasaki® FJ180V KAI OHV 4-cycle, 179 cc
Drive System	3-Speed Self Propelled
Drive Speed	1.9 mph; 2.5 mph; 3.2 mph
Deck Type	Aluminium, Rear Discharge/Rear Bag
Cutting Height Range / Positions / Type	13 - 60 mm (3.25 mm increments). 13 positions. One-point lever adjustment
Grassbag Capacity	80 Litre
Warranty*	2 year full coverage*

UPGRADE YOUR MOWER

- Toro Groomer Brush Kit**
134-3722
- Toro Premium Fuel Treatment**
Use with E10 / E5 fuel
131-6572
- Toro Lawnmower Oil**
38916
- Toro Mower Cover**
490-7462



*For complete product warranty information contact Toro Customer Service. Residential use means use of the product on the same location as your home. Use at more than one location is considered commercial use and the commercial warranty would apply.

OFFICIAL HAYTER *Merchandise*

Our exclusive range of branded clothing and merchandise make the perfect gift for that Hayter enthusiast in your life.

Keep the sun out of your eyes with our cap or keep warm in during those Autumn cuts with our bobble hat. When you stop for a well deserved tea break, make sure you have a Hayter mug to hand and celebrate our history with a mug from your favourite era.

And finally when you have cut the grass and put your garden waste bin out for collection, makes sure your neighbours know you use a Hayter with our Garden bin sticker.

Browse our range of exceptional merchandise today and wear a name worthy of its Royal Warrant.



HAYTER STRIPE SOCKS
134-7070

HAYTER SANDWICH TRIM BASEBALL CAP
134-7065

HAYTER "75 YEARS" NICK ENAMEL BADGE
134-7067

HAYTER KNITTED BOBBLE HAT
134-7066



HAYTER "1970'S ERA" MUG
134-7062

HAYTER "1980'S ERA" MUG
134-7063

HAYTER "1990'S ERA" MUG
134-7064

HAYTER "DOUGLAS HAYTER" MUG
134-7060

HAYTER "DESIGNED & ENGINEERED IN BRITAIN" MUG
134-7061

Douglas Hayter



Designed & Engineered in Britain



"GRASS CUT BY HAYTER" GARDEN BIN STICKER
134-7068

HAYTER STRIPE STICKER
134-7069




All pictures shown are for illustration purpose only. Actual product may vary due to product enhancement.

UNDERSTANDING YOUR *Lawnmower*




We know that buying a lawnmower can be a confusing time especially with all of the different technical terms. To help, we have gathered a list of common terms that are related to our Hayter lawnmowers to try and clear up any confusion and ensure that you make the right choice for your garden.

AUTO-DRIVE (AD) / SELF-PROPELLED



A self-propelled lawnmower is a mower that can drive itself using engine power while you simply walk behind.

EASY-WASH HOSE CONNECTOR




Allows you to connect a hose and easily clean the underside of your mower without getting your hands dirty.

BLADE BRAKE CLUTCH (BBC)




Often referred to as the BBC. The blade brake clutch allows you to stop the blade from spinning whilst keeping the engine running.

CRANK-SHAFT



Responsible for converting a linear motion (piston) to a rotational motion within the engine to drive the blade. If a blade accidentally hits a solid object such as a stone or tree stump the crankshaft can get bent.

CUTTER DECK



The main body of the lawnmower, and can be referred to as the "lawnmower chassis". Can be made of either metal (steel or aluminium) or robust polymer.

GRASSCYCLING / RECYCLING MODE



A method of finely cutting grass clippings and leaving them to decompose in the lawn to put nutrients back into the soil.

HEIGHT OF CUT (SINGLE POINT)




A mechanism that sets how high the grass will be cut. The majority of our machines use either a single counter-balanced lever or push button for quick adjustment. (Osprey 53 uses a 2-point mechanism.)

MULCH PLUG




A plug designed to stop grass being collected that feeds the grass clippings back into the soil (also known as grass-cycling).

PUSH LAWNMOWER



No driving force provided by an engine. Instead you will need to physically push the lawnmower for it to move.

TRIM SIDE



The cutter deck has been designed so that the edge is completely flush with the roller and wheels. Making it easier to go around raised edging.

VARIABLE SPEED (VS) / SENS-A-SPEED™



Forward travel speed can be adjusted to suit the operating conditions and the operator's walking speed.

MAXIMUM COLLECTION PERFORMANCE




Achieved with a highly unique deck underside and blade profile to lift the cut grass blades and throw them into the collection bag.

OPERATOR PRESENCE CONTROL (OPC) / BAIL ARM



The mechanism enables the engine to run and the blade to spin. When released it will stop the engine and blade.

REAR-ROLLER LAWNMOWER




Designed to create a striped lawn effect. Split rear-rollers are easier to turn and ribbed rollers help with traction.

VARI-PITCH



Automatically adjusts the cutter deck to increase airflow when set to cut longer grass.

WIDTH OF CUT



Refers to the width of the cutting blades. The wider the cutting width, the less time it will take to mow a given area.

UNDERSTANDING YOUR *Engine*

Here are some common terms for popular engine features.

E10 PETROL



Containing up to 10% renewable ethanol, E10 fuel is compatible with all current production Hayter petrol lawnmowers.



The right power and torque is essential for effortless lawnmowing performance, which is why at Hayter we use engines made by Briggs & Stratton®, the World's largest producer of outdoor power equipment engines. Quality engineering provides consistent high power at low speed, at an unbelievably quiet operating volume.

RECOIL START



This pull cord allows you to start the engine easily while standing behind the lawnmower, away from the engine and blade.

GUARANTEED TO START / BRIGGS & STRATTON READYSTART®



This automatically recognises the temperature of the engine and calculates the right fuel-air mixture to get the lawnmower started.

ELECTRIC START (ES) / BRIGGS & STRATTON® INSTART®



Electric start models offer effortless starting at the turn of a key or push of a button, so there's no need to pull-start the engine.

First Class


DEALER NETWORK

At Hayter we are proud of our UK Dealer Network, where we have over 350 Dealers covering the length and breadth of the UK.

Our UK Dealer Network is carefully selected to ensure the highest standards of knowledge and professionalism.

With dealers who have been selling Hayter mowers for decades, we know that our customers will get the best service and support with their new purchase.

Go to our Dealer Locator at www.hayter.co.uk/locate-dealership to find your local dealer.



Frank Nicol Limited, have been a Hayter dealer for the past 20 years. Speaking of the Hayter Harrier they've said that...

They are relentless in our inclement Highland weather.



Ashley Mowers, have been a Hayter dealer for over 30 years. When asked about Hayter machines over the past three decades, they said that...

Hayter machines consistently offer good value, excellent performance and great support. Our customers keep coming back for more. Thousands sold equals thousands of happy customers!



Garden Machines Northampton Ltd, are proud of the fact they are now 3rd generation Hayter dealers.

When asked about their experience with Hayter, they said...

The quality of the product over the years has been outstanding and remains so to this day.



Plymouth Garden Machinery Limited, have been a dealer since 2019 and are not surprised Hayter mowers command such high brand loyalty, saying...

So often customers tell us its time to upgrade after enjoying more than 15 years great service from their current machine. What a great investment they are!



Godfreys of Sevenoaks, have said that the reason they have been a loyal dealer of Hayter's for over 40 years is because...

The quality of the mowers, coupled with the fact they can get that classic British Stripe, our customers stay loyal to Hayter and us.

First Class

SERVICE & AFTERCARE

Our UK dealer network is carefully selected to ensure we have the best possible sales advice and aftercare service available to you. They can advise on the right lawnmower for you and also supply you with Genuine Hayter Parts, oil, and accessories.

WHY CHOOSE GENUINE HAYTER PARTS?

1 PERFECT & QUALITY FIT



To ensure you are getting the most out of your Hayter® insist on Genuine Hayter Parts. Hayter parts are designed for an exact fit, reducing the wear on your machine.

2 24-48 HOUR DELIVERY



If a part is out of stock then Hayter aims at delivering within 24-48 hours to our UK Dealer network thanks to our safety stock.

3 KNOWLEDGABLE SERVICE TECHNICIANS



We are investing in After-Service training and innovative platforms to support our dealers in providing you with a best-in-class experience. You are always in safe hands with Hayter.

4 PRICE REFLECTS QUALITY



All Genuine Hayter Parts hold the same quality, performance and durability that our lawnmowers do. They're the safest option as they are designed to fit your lawnmower.

5 UK WIDE DEALER NETWORK



Hayter has 500+ Authorised Dealers and Service Dealers in the UK so you shouldn't have to travel far to find one.

6 98% FILL RATE



Your local dealer, supported by Hayter's parts network, offers the parts you need when you need them.

7 90 DAY WARRANTY



Our parts are engineered for your Hayter mower, that is why Genuine Hayter Parts come with a reassuring 90 day warranty as standard.

8 DURABILITY & QUALITY



Built to last, Hayter Genuine Parts are engineered to not only meet but exceed your expectations.

9 HAYTER INVESTS IN INNOVATION



As part of The Toro Company, Hayter is able to reinvest a percentage of revenue towards the continuing innovation of new products.

10 11 PATENTS+ OVER 75 YEARS



Since Hayter was founded in 1946, we have been patenting our products and protecting the innovation that Hayter brings to the market.

Our dealers only use Genuine Hayter Parts that have been specifically engineered and tested to fit Hayter mowers to give you complete piece of mind.



ANNUAL SERVICE

You have your car serviced yearly, so why not your lawnmower? A regularly maintained Hayter will last a lifetime, so make the best use of your local Authorised dealer during the off-season. Winter is the best time to get your machine serviced as your local dealer will have the time to ensure that it is in tip top condition ready for the start of Spring.

REPAIR

In the case something happens that calls for a repair the first point of call should be where you first bought your mower. If you move home and can't get to the dealer you originally purchased from, you can find another by visiting our dealer locator at www.hayter.co.uk/locate-dealership where we have over 500 Hayter authorised service dealers who can help.

WARRANTY

All Hayter lawnmowers are covered by our extended warranty* and covers defects in material and workmanship, from 2 to 5 years depending on model.

Excluded from warranty include those items which are subject to normal wear and tear, including but not limited to tyres, wheels, cutterblades, belts, cables, grassbags, and other consumable wearing parts.



LAWNMOWER STARTER KIT

When first purchasing your Hayter Lawnmower we recommend buying the following as a starter kit.

MOWER COVER

To protect your mower during the winter months it is wise to fit a mower cover. This ensures that the mower remains dry and in good condition for the coming season.

ENGINE OIL

Over time your Hayter® will consume a little oil, so it's wise to check the oil level before each use. If it's low, add a little at a time and re-check the level until correct. Our oil is specially formulated to work with all engines fitted to Hayter® products and using anything other than SAE30 may cause damage to the engine.

FUEL STABILISER

When you store your mower over Winter, the ethanol in the fuel can evaporate making starting harder in the Spring. Mixing a fuel stabiliser in with your new fuel protects the engine from rust and corrosion and the build-up of gum for up to 12 months. After the last mow of the year, drain all the fuel from the tank before storing.



Premium Fuel Treatment
111-9366



Lawnmower Oil
111-9367



Mower Cover
137-8211

SPECIFICATIONS

RESIDENTIAL LAWNMOWER RANGE

	Hawk 36 60V, Push CODE553A	Hawk 43 60V, Push CODE554A	Hawk 43 60V, AD CODE555A	Harrier® 41 Push CODE374A	Harrier 41 AD CODE375A	Harrier 41 AD, ES CODE376B	Harrier 41 60V, Push CODE373A
Cutter Deck Size (cm)	36cm	43cm		41cm		41cm	
Recommended Lawn Size ⁵ (m ²)	2.5Ah: 250m ²	4.0Ah: 300m ²		300m ²		300m ²	6.0Ah: 300m ²
Maximum Mower Coverage ⁶ (m ²)	2.5Ah: TBC [†] m ²	4.0Ah: TBC [†] m ²	4.0Ah: TBC [†] m ²	-		-	6.0Ah: TBCm ²
Cutter Deck Material	Polymer			Aluminium		Aluminium	Aluminium
Power Source	60V** Battery (sold seperately)			Petrol		Petrol	60V** Battery (sold seperately)
Engine / Motor Brand & Model	Hayter			Briggs & Stratton 575EX Series	Briggs & Stratton 625EXi Series	Briggs & Stratton 575iS Series InStart®	Hayter
Engine / Motor Type	Brushless DC			Single cylinder, 4-stroke, air-cooled, OHV, ReadyStart®		Single cylinder, 4-stroke, OHV, InStart® technology, ReadyStart®	Brushless DC
Engine Power Rating (kW)	0.6kW	0.85kW		2.12kW	2.2kW	2.2kW	1.5kW
Power Output (cc)	-			140cc	150cc	150cc	-
Fuel Type	Lithium-ion			Unleaded		Unleaded	Lithium-ion
Fuel tank capacity (L)	-	-	-	0.8L	1.0L	0.8L	-
Oil Type	-	-	-	SAE 30		SAE 30	-
Oil Capacity (L)	-	-	-	0.44L		0.44L	-
Driving Speed (mph)	-	-	1.8 - 2.5mph	-	2.1 - 3.3mph		-
Blade Brake Clutch (BBC)	-	-	-	-		-	-
Grass-Cycling / Mulching	-			-		-	-
Positions & height of cut (mm)	6 (19 - 70mm)			7 (13 - 60mm)		7 (13 - 60mm)	
Rear-roller Type & Material	Single piece polymer			Two-piece polymer		Two-piece polymer	
Electric Start	✓			-		✓	
GrassBag/Box Capacity (L)	40L	50L		60L		60L	
Dry weight [†] (kg)	21kg	23kg	25kg	34kg	37kg	38kg	35kg
Unfolded Dimensions (L x W x H (mm))	1306 x 417 x 1073mm	1362 x 485 x 1085mm		1440 x 485 x 1040mm		1440 x 485 x 1040mm	
Folded Dimensions Handlebar Down (L x W x H (mm))	-	-		1270 x 460 x 570mm		1270 x 460 x 570mm	
Folded Dimensions Handlebar Down & No Grassbag (L x W x H (mm))	412 x 417 x 1135mm (Vertical Stow)	410 x 485 x 1140mm (Vertical Stow)		900 x 460 x 480mm		900 x 460 x 480mm	
Warranty*	Residential: 3 years Commercial: 30 days			Residential: 5 years Commercial: 90 days		Residential: 5 years Commercial: 30 days	

*Annual service required. Residential use means use of the product on the same location as your home. Use at more than one location is considered commercial use and the commercial warranty would apply. Refer to owners handbook for full Terms and Conditions.

†Excludes packaging, fuel, oil and batteries. All figures have been rounded to the nearest 1.0.

RESIDENTIAL LAWNMOWER RANGE

	Harrier 41 60V, AD CODE377A	Harrier® 48 AD CODE474A	Harrier 48 AD, BBC CODE475A	Harrier 48 AD, ES CODE476A	Harrier 48 60V, AD CODE477A	Harrier® 56 AD CODE574A	Harrier 56 AD, BBC CODE575A	Harrier 56 AD, ES CODE576B
Cutter Deck Size (cm)	48cm					56cm		
Recommended Lawn Size ⁵ (m ²)	6.0Ah: 300m ²	500m ²			7.5Ah: 500m ²	1000m ²		
Maximum Mower Coverage ⁶ (m ²)	6.0Ah: 860m ²	-			7.5Ah: 955m ²	-		
Cutter Deck Material	Aluminium	Aluminium				Aluminium		
Power Source	60V** Battery (sold seperately)	Petrol			60V** Battery (sold seperately)	Petrol		
Engine / Motor Brand & Model	Hayter	Hayter 1P65FC	Briggs & Stratton 650 EXi Series	Briggs & Stratton 675iS Series InStart®	Hayter	Hayter 1P65FC	Briggs & Stratton 850E Series I/C®	Briggs & Stratton 775iS Series™ InStart®
Engine / Motor Type	Brushless DC	Single cylinder, 4-stroke, OHV, Guaranteed To Start	Single cylinder, 4-stroke, air-cooled, OHV, ReadyStart®	Single cylinder, 4-stroke, OHV, InStart® technology, ReadyStart®	Brushless DC	Single cylinder, 4-stroke, OHV, Guaranteed To Start	Single cylinder, 4-stroke, air-cooled, OHV	Single cylinder, 4-stroke, air cooled, DOV® (Direct Overhead Valve), InStart® Technology
Engine Power Rating (kW)	1.5kW	2.6kW	2.4kW	2.6kW	2.0kW	2.6kW	3.3kW	2.6kW
Power Output (cc)	-	159cc	163cc		-	159cc	190cc	161cc
Fuel Type	Lithium-ion	Unleaded			Lithium-ion	Unleaded		
Fuel tank capacity (L)	-	1.0L			-	1.0L		
Oil Type	-	SAE 30			-	SAE 30	SAE 30	SAE 30
Oil Capacity (L)	-	0.55L	0.45L		-	0.55L	0.57L	0.6L
Driving Speed (mph)	1.8 - 3.0mph (Standard) 2.1 - 3.3mph (Boost Max mode)	2.1 - 3.3mph			1.7 - 2.9mph (Standard) 2.0 - 3.2mph (Boost Max mode)	1.0 - 2.9mph		
Blade Brake Clutch (BBC)	-		✓		-	-	✓	-
Grass-Cycling / Mulching	-			-	-			
Positions & height of cut (mm)	7 (13 - 60mm)	7 (13 - 60mm)				7 (13 - 60mm)		
Rear-roller Type & Material	Two-piece polymer	Two-piece polymer				Two-piece polymer		
Electric Start	✓	-	-		✓	-	-	✓
GrassBag/Box Capacity (L)	60L	70L				70L		
Dry weight [†] (kg)	34kg	47kg	48kg	44kg	42kg	52kg	54kg	52kg
Unfolded Dimensions (L x W x H (mm))	1440 x 485 x 1040mm	1562 x 532 x 1039mm				1574 x 585 x 1043mm		
Folded Dimensions Handlebar Down (L x W x H (mm))	1270 x 460 x 570mm	1275 x 530 x 590mm				1360 x 585 x 630mm		
Folded Dimensions Handlebar Down & No Grassbag (L x W x H (mm))	900 x 460 x 480mm	935 x 530 x 480mm				980 x 585 x 480mm		
Warranty*	Residential: 5 years Commercial: 30 days	Residential: 5 years Commercial: 90 days			Residential: 5 years Commercial: 30 days	Residential: 5 years Commercial: 90 days		

⁵Based on stated battery, at low speed in controlled laboratory testing of product.

⁶Based on width of cutter deck

**Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.

SPECIFICATIONS

	RESIDENTIAL					PROFESSIONAL			
	Osprey 46 Push CODE610B	Osprey 46 AD CODE611B	Osprey 46 60V, AD CODE613A	Osprey 53 AD CODE345A	Osprey 53 AWD, AD CODE346A	Harrier 41 PRO AD CODE379B	Harrier 48 PRO AD, BBC CODE479B	Harrier 56 PRO AD, BBC CODE579A	
Cutter Deck Size (cm)	46cm		53cm		41cm	48cm	56cm		
Recommended Lawn Size (m ²)	500m ²		6.0Ah: 500m ²		500m ²	250m ²	1000m ²		
Maximum Mower Coverage [^] (m ²)	-		6.0Ah: 720m ²		-	-			
Cutter Deck Material	Steel		Steel		Aluminium				
Power Source	Petrol		60V** Battery (sold seperately)		Petrol				
Engine Model	Briggs & Stratton 450E Series	Briggs & Stratton 500E Series	Hayter	Hayter 1P65FC		Honda GCV145	Honda GCV170	Briggs & Stratton 850E I/C Recoil	
Engine Type	Single cylinder, 4-stroke, air-cooled, OHV, ReadyStart®		Brushless DC		Single cylinder, 4-stroke, OHV, Guarenteed To Start		Air cooled 4-stroke, OHV	Air cooled 4-stroke, OHV	Single cylinder, 4-stroke, air-cooled, OHV
Engine Power Rating (kW)	1.7kW	1.9kW	2.0kW	2.6kW		2.1kW	2.4kW	3.29kW	
Power Output (cc)	125cc	140cc	-	159cc		145cc	170cc	190cc	
Hand/Arm Vibration (m/s ²)	-		-		Left & Right: 3.6 Uncertainty: 1.8	Left & Right: 3.5 Uncertainty: 1.7	Left & Right: 3.6 Uncertainty: 1.8		
Fuel Type	Unleaded		Lithium-ion		Unleaded				
Fuel tank capacity (L)	0.8L		-		1.0L		0.9L	1.0L	
Oil Type	SAE 30		-		SAE 30		SAE 30	SAE 30	
Oil Capacity (L)	0.47L		-		0.55L		0.4L	0.57L	
Driving Speed (mph)	-	2.0mph	1.9mph / 2.2mph	2.7mph	3.0mph	3.2mph		3.3mph	
Blade Brake Clutch (BBC)	-		-		-	✓		-	
Grass-Cycling / Mulching	✓		-		-			-	
Positions & height of cut (mm)	7 (25 - 70mm)		7 (25 - 89mm)		7 (13 - 60mm)			-	
Rear-roller Type & Material	-		-		Two-piece steel			-	
Electric Start	-		✓		-			✓	
Grass Bag Capacity (L)	55L		70L		70L			-	
Dry weight [†] (kg)	26kg	29kg	29kg	34kg	35kg	41kg	52kg	59kg	
Unfolded Dimensions (L x W x H (mm))	1400 x 530 x 1050mm			1400 x 560 x 1020mm		1470 x 485 x 1040mm	1587 x 532 x 1039mm	1594 x 585 x 1043mm	
Folded Dimensions Handlebar Down (L x W x H (mm))	1230 x 530 x 560mm			1400 x 560 x 430 mm		1310 x 460 x 570mm	1275 x 530 x 590mm	1385 x 585 x 1035mm	
Folded Dimensions Handlebar Down & No Grassbag (L x W x H (mm))	950 x 530 x 560mm			1030 x 560 x 430 mm		940 x 460 x 480mm	960 x 530 x 480mm	1005 x 585 x 480mm	
Warranty [*]	Residential: 2 years Commercial: 30 days			Residential: 2 years Commercial: 30 days		Commercial: 2 years			

*Annual service required. Residential use means use of the product on the same location as your home. Use at more than one location is considered commercial use and the commercial warranty would apply. Refer to owners handbook for full Terms and Conditions.
[^]Based on stated battery, at low speed in controlled laboratory testing of product.
[†]Excludes packaging, fuel, oil and batteries. All figures have been rounded to the nearest 1.0.
[‡]Based on width of cutter deck.

TORO FLEX-FORCE POWER SYSTEM


	BATTERY LEAF BLOWER 51825T	BATTERY STRING TRIMMER 51835T	BATTERY HEDGE TRIMMER 51855T	BATTERY CHAINSAW 51845T	BATTERY POLE SAW 51847T				
CUTTING WIDTH (cm)	-	36 cm - 41 cm	1.9 cm	-	-				
MOTOR	60V Brushless DC								
FLEX-FORCE POWER SYSTEM [®] BATTERY AND CHARGER	Battery and charger sold separately 60V 2.5 Ah; 135 Wh Recommended								
RUN TIME [*] (Using 2.5Ah L135 battery)	Low	Up to 90 min	36 cm	2.0 mm	Up to 50 min	Up to 75 minutes	Up to 50 cuts (15 x 15cm timber)	Up to 80 cuts (10 x 10cm timber)	
	High	Up to 25 min	36 cm	2.4 mm	Up to 45 min				
	Turbo Boost	Up to 10 min	41 cm	2.4 mm	Up to 30 min				
SPEED CONTROL	Variable trigger, Turbo Boost		Variable trigger, 2 speed ranges		Variable trigger	Variable trigger	1-speed		
WEIGHT (With 2.5 Ah 135 Wh battery)	3.4 kg		4.58 kg		4.2 kg	5.8 kg	5.4 kg		
NOISE RATING	Measured Sound Power: 101 dBA Guaranteed Sound Power: 103 dBA Sound Pressure: 86 dBA K-factor: 3		Measured Sound Power: 90 dBA Guaranteed Sound Power: 93 dBA Sound Pressure: 78 dBA K-factor: 3		Measured Sound Power: 92 dBA Guaranteed Sound Power: 96 dBA Sound Pressure: 80 dBA K-factor: 3	Measured Sound Power: 101.1 dBA Guaranteed Sound Power: 105 dBA Sound Pressure: 91 dBA K-factor: 3	Measured Sound Power: 94 dBA Guaranteed Sound Power: 97 dBA Sound Pressure: 78 dBA K-factor: 3		
	Left & Right: 1.5 m/s ² rms, Uncertainty K: 0.1 m/s ²		Left & Right: 3.2 m/s ² rms, Uncertainty K: 0.8 m/s ²		Left & Right: 2.5 m/s ² rms, Uncertainty K: 1.5 m/s ²	Left & Right: 5.7 m/s ² rms, Uncertainty K: 1.5 m/s ²	Left & Right: 3.8 m/s ² rms, Uncertainty K: 0.2 m/s ²		
	Standard								
HAND / ARM VIBRATION	Left & Right: 1.5 m/s ² rms, Uncertainty K: 0.1 m/s ²		Left & Right: 3.2 m/s ² rms, Uncertainty K: 0.8 m/s ²		Left & Right: 2.5 m/s ² rms, Uncertainty K: 1.5 m/s ²	Left & Right: 5.7 m/s ² rms, Uncertainty K: 1.5 m/s ²	Left & Right: 3.8 m/s ² rms, Uncertainty K: 0.2 m/s ²		
COMFORT GRIP	Standard								
AIR VOLUME (m ³ /min ^{***})	Up to 17 m ³ /min		-		-	-	-	-	
AIR SPEED (Km/h ^{***})	Up to 185 Km/h		-		-	-	-	-	
TRIMMER LINE	-		2.4 mm line included. 2.0 mm line sold separately.		-	-	-	-	
LINE ADVANCEMENT	-		Tap & Go. Standard		-	-	-	-	
QUICK-FEED HEAD	-		Standard		-	-	-	-	
BAR / BLADE LENGTH	-		-		61cm (24")	41cm (16")	25cm (10")	-	
ROTATING HANDLE	-		-		Standard	-	-	-	
CHAIN PITCH / GAUGE	-		-		-	Pitch 9.5mm (.375") Gauge 1.1mm (0.043")	Pitch 9.5mm (.375") Gauge 1.1mm (0.043")	-	
TOOL REACH	-		-		-	-	2.4m (8')	-	
CHAIN OIL CAPACITY	-		-		-	270 ml	-	-	
BAR & CHAIN OIL	-		-		-	Sold Separately	Sold Separately	-	
OIL LEVEL INDICATOR	-		-		-	Standard	-	-	
CHAIN BRAKE	-		-		-	Electric	-	-	
CHAIN SPEED	-		-		-	11 m/s	-	-	
CHAIN TENSIONING SYSTEM	-		-		-	Tooled	Tooled	-	
WARRANTY* (Years)						Residential: 3 Years			

**Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.
*** Up to 17 m³/min Max and Up to 185 Km/h Max on turbo boost. Performance claims based on controlled laboratory testing.



HAYTER®

MAKERS OF THE FINEST MOWERS



Hayter is a brand of Toro U.K. Limited

UK Head office: Toro U.K. Limited, Spellbrook, Bishop's Stortford, Hertfordshire, CM23 4BU, England

Customer Service Helpline: 0800 616 298 (UK freephone number)

Email: customer.care@hayter.co.uk

Website: www.hayter.co.uk

Disclaimer Toro U.K. Limited reserve the right to change or modify any of their prices and product specifications without any prior notification.

Copyright © 2022 Toro U.K. Limited All rights reserved. Hayter and other product and feature marks are trademarks of Toro U.K. Limited as displayed at www.hayter.co.uk

134-7071